

**DETAILED ACTION**

**EXAMINER'S AMENDMENT**

1. This Supplemental Examiner's amendment is issued due to the fact that claims 21 and 22 are incorrectly dependent from claim 20, which has been cancelled.
2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Joseph Snyder on March 30, 2010.

The application has been amended as follows:

- In claim 21, line 1, delete ---20--- after "claim" and substitute ---1--- therefor.
- In claim 22, line 1, delete ---20--- after "claim" and substitute ---1--- therefor.

***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to TERESA E. STRZELECKA whose telephone number is (571)272-0789. The examiner can normally be reached on M-F (8:30-5:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Benzion can be reached on (571) 272-0782. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Teresa E Strzelecka  
Primary Examiner  
Art Unit 1637

/Teresa E Strzelecka/  
Primary Examiner, Art Unit 1637  
March 31, 2010